

	Type	Hits	Search Text	Dbs
1	BRS	643	250/330.ccls.	USPAT; US-PGPUB; EPO; DERWENT
2	BRS	7	250/330.ccls. and (color with correction)	USPAT; US-PGPUB; EPO; DERWENT
3	BRS	9	250/330.ccls. and (color with correct\$)	USPAT; US-PGPUB; EPO; DERWENT
4	BRS	18	250/330.ccls. and (color same correct\$)	USPAT; US-PGPUB; EPO; DERWENT
5	BRS	26	250/330.ccls. and (collimator)	USPAT; US-PGPUB; EPO; DERWENT
6	BRS	4094	"night vision"	USPAT; US-PGPUB; EPO; DERWENT
7	BRS	28	"night vision" and "color correction"	USPAT; US-PGPUB; EPO; DERWENT
8	BRS	135	250/330.ccls. and (color\$)	USPAT; US-PGPUB; EPO; DERWENT
9	BRS	135	250/330.ccls. and (color\$)	USPAT; US-PGPUB; EPO; DERWENT
10	BRS	75	250/330.ccls. and (LED)	USPAT; US-PGPUB; EPO; DERWENT
11	BRS	137	250/330.ccls. and (night vision)	USPAT; US-PGPUB; EPO; DERWENT
12	BRS	68	250/330.ccls. and (night same vision)	USPAT; US-PGPUB; EPO; DERWENT
13	BRS	18	250/330.ccls. and ("color" same correct\$)	USPAT; US-PGPUB; EPO; DERWENT
14	BRS	45	250/330.ccls. and ("night vision" same syst\$)	USPAT; US-PGPUB; EPO; DERWENT
15	BRS	33	250/330.ccls. and ("night vision" same applic\$)	USPAT; US-PGPUB; EPO; DERWENT
16	BRS	35	250/330.ccls. and ("night vision" same system)	USPAT; US-PGPUB; EPO; DERWENT
17	BRS	45	250/330.ccls. and ("night vision" same system)	USPAT; US-PGPUB; EPO; DERWENT
18	BRS	202	250/330.ccls. and (light same source)	USPAT; US-PGPUB; EPO; DERWENT

	Type	Hits	Search Text	DBs
19	BRS	2	250/330.ccls. and (green same LED)	USPAT; US-PGPUB; EPO; DERWENT
20	BRS	14	250/330.ccls. and ("light source" same LED)	USPAT; US-PGPUB; EPO; DERWENT
21	BRS	1302	250/338.1.ccls.	USPAT; US-PGPUB; EPO; DERWENT
22	BRS	47	250/338.1.ccls. and (night same vision)	USPAT; US-PGPUB; EPO; DERWENT
23	BRS	5	250/338.1.ccls. and (color same correction)	USPAT; US-PGPUB; EPO; DERWENT
24	BRS	185	250/338.1.ccls. and (color correction)	USPAT; US-PGPUB; EPO; DERWENT
25	BRS	111	250/338.1.ccls. and (night vision)	USPAT; US-PGPUB; EPO; DERWENT
26	BRS	8	250/339.06.ccls. and (night vision)	USPAT; US-PGPUB; EPO; DERWENT
27	BRS	18	250/340.ccls. and (night vision)	USPAT; US-PGPUB; EPO; DERWENT
28	BRS	35	250/353.ccls. and (night vision)	USPAT; US-PGPUB; EPO; DERWENT
29	BRS	36	250/352.ccls. and (night vision)	USPAT; US-PGPUB; EPO; DERWENT
30	BRS	5	250/352.ccls. and (facet)	USPAT; US-PGPUB; EPO; DERWENT
31	BRS	14	250/330.ccls. and (facet)	USPAT; US-PGPUB; EPO; DERWENT
32	BRS	3	250/330.ccls. and (holograph\$ same diffus\$)	USPAT; US-PGPUB; EPO; DERWENT
33	BRS	7	250/341.8.ccls. and (holograph\$ same diffus\$)	USPAT; US-PGPUB; EPO; DERWENT
34	BRS	980	"vehicle" and "night vision"	USPAT; US-PGPUB; EPO; DERWENT
35	BRS	433	"vehicle" same "night vision"	USPAT; US-PGPUB; EPO; DERWENT
36	BRS	65	250/330.ccls. and (red same light)	USPAT; US-PGPUB; EPO; DERWENT

	Type	Hits	Search Text	Dbs
37	BRS	22	250/330.ccls. and ("red light")	USPAT; US-PGPUB; EPO; DERWENT
38	BRS	20	250/330.ccls. and ("red light" and visible)	USPAT; US-PGPUB; EPO; DERWENT
39	BRS	1	250/330.ccls. and ("non-red light" and visible)	USPAT; US-PGPUB; EPO; DERWENT
40	BRS	2	250/330.ccls. and ("emission pattern")	USPAT; US-PGPUB; EPO; DERWENT
41	BRS	20	250/330.ccls. and (emission same pattern)	USPAT; US-PGPUB; EPO; DERWENT
42	BRS	1	250/330.ccls. and (color-corrected)	USPAT; US-PGPUB; EPO; DERWENT
43	BRS	415	250/330.ccls. and (corrected light)	USPAT; US-PGPUB; EPO; DERWENT
44	BRS	443	250/330.ccls. and (red corrected light)	USPAT; US-PGPUB; EPO; DERWENT
45	BRS	1	250/330.ccls. and (red same "corrected light")	USPAT; US-PGPUB; EPO; DERWENT
46	BRS	18	250/330.ccls. and (color same correct\$)	USPAT; US-PGPUB; EPO; DERWENT
47	BRS	11	250/330.ccls. and (red same correct\$)	USPAT; US-PGPUB; EPO; DERWENT
48	BRS	11	250/330.ccls. and (" red " same correct\$)	USPAT; US-PGPUB; EPO; DERWENT
49	BRS	23	250/330.ccls. and ("laser diode")	USPAT; US-PGPUB; EPO; DERWENT
50	BRS	25076 48	non-red color correction light	USPAT; US-PGPUB; EPO; DERWENT
51	BRS	80	infrared and non-red	USPAT; US-PGPUB; EPO; DERWENT
52	BRS	5	250/330 and infrared and non-red	USPAT; US-PGPUB; EPO; DERWENT
53	BRS	1	250/330.ccls. and infrared and non-red	USPAT; US-PGPUB; EPO; DERWENT
54	BRS	88	250/330.ccls. and (infrared and red)	USPAT; US-PGPUB; EPO; DERWENT

	Type	Hits	Search Text	Dbs
55	BRS	89	250/330.ccls. and (visible and red)	USPAT; US-PGPUB; EPO; DERWENT
56	BRS	3	250/330.ccls. and (thin-sheet)	USPAT; US-PGPUB; EPO; DERWENT
57	BRS	2	250/330.ccls. and (light same redirect)	USPAT; US-PGPUB; EPO; DERWENT
58	BRS	2	250/330.ccls. and (chromatic\$ and correct)	USPAT; US-PGPUB; EPO; DERWENT
59	BRS	3	250/330.ccls. and (achromatic\$)	USPAT; US-PGPUB; EPO; DERWENT
60	BRS	3	250/330.ccls. and (achromatic\$ and visible)	USPAT; US-PGPUB; EPO; DERWENT
61	BRS	180	chromatic\$ and "night vision"	USPAT; US-PGPUB; EPO; DERWENT
62	BRS	47	achromatic\$ and "night vision"	USPAT; US-PGPUB; EPO; DERWENT
63	BRS	1108	achromatic\$ and infrared	USPAT; US-PGPUB; EPO; DERWENT
64	BRS	27	infrared and (achromatic\$ and "night vision")	USPAT; US-PGPUB; EPO; DERWENT
65	BRS	63	250/330.ccls. and (white same image)	USPAT; US-PGPUB; EPO; DERWENT
66	BRS	80	infrared and non-red	USPAT; US-PGPUB; EPO; DERWENT
67	BRS	236	250/362.ccls.	USPAT; US-PGPUB; EPO; DERWENT
68	BRS	13	250/362.ccls. and (infrared)	USPAT; US-PGPUB; EPO; DERWENT
69	BRS	3	250/362.ccls. and (infrared and monochrom\$)	USPAT; US-PGPUB; EPO; DERWENT
70	BRS	901	250/504R.ccls.	USPAT; US-PGPUB; EPO; DERWENT
71	BRS	80	250/504R.ccls. and (white)	USPAT; US-PGPUB; EPO; DERWENT
72	BRS	204	250/504R.ccls. and (visible same light)	USPAT; US-PGPUB; EPO; DERWENT

	Type	Hits	Search Text	DBs
73	BRS	244	250/504R.ccls. and (white image)	USPAT; US-PGPUB; EPO; DERWENT
74	BRS	38	250/504R.ccls. and (monochrom\$)	USPAT; US-PGPUB; EPO; DERWENT
75	BRS	2	250/504R.ccls. and ("notch filter")	USPAT; US-PGPUB; EPO; DERWENT
76	BRS	144	250/504R.ccls. and ("visible light")	USPAT; US-PGPUB; EPO; DERWENT
77	BRS	39	250/504R.ccls. and ("visible light" and white)	USPAT; US-PGPUB; EPO; DERWENT
78	BRS	10	250/504R.ccls. and ("visible light" same white)	USPAT; US-PGPUB; EPO; DERWENT
79	BRS	3	250/495.1.ccls. and ("visible light" same white)	USPAT; US-PGPUB; EPO; DERWENT
80	BRS	12	250/330.ccls. and ("visible light" same white)	USPAT; US-PGPUB; EPO; DERWENT
81	BRS	13	250/362.ccls. and (infrared)	USPAT; US-PGPUB; EPO; DERWENT
82	BRS	1	250/362.ccls. and (chrom\$ same correct)	USPAT; US-PGPUB; EPO; DERWENT
83	BRS	1	250/504R.ccls. and (chrom\$4 same correct\$)	USPAT; US-PGPUB; EPO; DERWENT
84	BRS	1	250/495.1.ccls. and (chrom\$4 same correct\$)	USPAT; US-PGPUB; EPO; DERWENT
85	BRS	1	250/495.1.ccls. and (color\$4 same correct\$)	USPAT; US-PGPUB; EPO; DERWENT
86	BRS	7	250/352.ccls. and (visible and green)	USPAT; US-PGPUB; EPO; DERWENT
87	BRS	61	250/330.ccls. and (visible and green)	USPAT; US-PGPUB; EPO; DERWENT
88	BRS	19	250/330.ccls. and (white and LED)	USPAT; US-PGPUB; EPO; DERWENT
89	BRS	7	250/330.ccls. and ("green light" same emit\$)	USPAT; US-PGPUB; EPO; DERWENT
90	BRS	5	250/504R.ccls. and ("green light" same emit\$)	USPAT; US-PGPUB; EPO; DERWENT

	Type	Hits	Search Text	Dbs
91	BRS	36	250/504R.ccls. and ("emitting diode")	USPAT; US-PGPUB; EPO; DERWENT
92	BRS	26	250/504R.ccls. and (infra\$ and "emitting diode")	USPAT; US-PGPUB; EPO; DERWENT
93	BRS	2	250/504R.ccls. and (infra\$ and "amber")	USPAT; US-PGPUB; EPO; DERWENT
94	BRS	1	250/330.ccls. and (holo\$ same filter with notch)	USPAT; US-PGPUB; EPO; DERWENT
95	BRS	1	250/330.ccls. and (holo\$ same notch with filter)	USPAT; US-PGPUB; EPO; DERWENT
96	BRS	4	250/330.ccls. and (notch with filter)	USPAT; US-PGPUB; EPO; DERWENT
97	BRS	179	250/338.1.ccls. and (white adj. LED)	USPAT; US-PGPUB; EPO; DERWENT
98	BRS	12	250/338.1.ccls. and (visible same LED)	USPAT; US-PGPUB; EPO; DERWENT
99	BRS	37	250/338.1.ccls. and (thin with sheet)	USPAT; US-PGPUB; EPO; DERWENT
100	BRS	7	250/338.1.ccls. and ("thin sheet")	USPAT; US-PGPUB; EPO; DERWENT
101	BRS	4	250/330.ccls. and ("notch filter")	USPAT; US-PGPUB; EPO; DERWENT
102	BRS	46	250/330.ccls. and ("pass filter")	USPAT; US-PGPUB; EPO; DERWENT
103	BRS	39	250/330.ccls. and (infrared and "pass filter")	USPAT; US-PGPUB; EPO; DERWENT
104	BRS	3	250/330.ccls. and ("optical element" with diffuser)	USPAT; US-PGPUB; EPO; DERWENT
105	BRS	3	250/330.ccls. and (thin-sheet and optical)	USPAT; US-PGPUB; EPO; DERWENT
106	BRS	9	250/330.ccls. and (thin with sheet)	USPAT; US-PGPUB; EPO; DERWENT
107	BRS	219	250/495.1.ccls.	USPAT; US-PGPUB; EPO; DERWENT
108	BRS	119	250/339.06.ccls.	USPAT; US-PGPUB; EPO; DERWENT

Type	Hits	Search Text	Dbs
109 BRS	199	250/330.ccls. and laser	USPAT; US-PGPUB; EPO; DERWENT
110 BRS	62	250/330.ccls. and laser and diode	USPAT; US-PGPUB; EPO; DERWENT
111 BRS	3	250/330.ccls. and laser and diode and difuser	USPAT; US-PGPUB; EPO; DERWENT
112 BRS	48	250/330.ccls. and laser and diode and beam\$7	USPAT; US-PGPUB; EPO; DERWENT
113 BRS	29	250/330.ccls. and (pass same band same filter)	USPAT; US-PGPUB; EPO; DERWENT
114 BRS	6	250/340.ccls. and beam same split	USPAT; US-PGPUB; EPO; DERWENT
115 BRS	7	250/341.8.ccls. and emis\$7 same pattern	USPAT; US-PGPUB; EPO; DERWENT
116 BRS	34	250/339.06.ccls. and laser	USPAT; US-PGPUB; EPO; DERWENT
117 BRS	13	250/339.06.ccls. and laser and diode	USPAT; US-PGPUB; EPO; DERWENT
118 BRS	47	250/495.1.ccls. and laser	USPAT; US-PGPUB; EPO; DERWENT
119 BRS	17	250/495.1.ccls. and laser and pattern	USPAT; US-PGPUB; EPO; DERWENT
120 BRS	7	250/495.1.ccls. and laser and pattern same emit\$	USPAT; US-PGPUB; EPO; DERWENT
121 BRS	80	250/330.ccls. and element and perpendic\$	USPAT; US-PGPUB; EPO; DERWENT
122 BRS	70	250/330.ccls. and optical and element and perpendic\$	USPAT; US-PGPUB; EPO; DERWENT
123 BRS	65	250/330.ccls. and optical and element and perpendicular	USPAT; US-PGPUB; EPO; DERWENT
124 BRS	65	250/330.ccls. and optical and (element and perpendicular)	USPAT; US-PGPUB; EPO; DERWENT
125 BRS	74	250/330.ccls. and (element and perpendicular)	USPAT; US-PGPUB; EPO; DERWENT
126 BRS	4	250/330.ccls. and (element and perpendicular and facet)	USPAT; US-PGPUB; EPO; DERWENT

	Type	Hits	Search Text	DBs
127	BRS	1	"3804976".PN.	USPAT
128	BRS	1	"3109057".PN.	USPAT
129	BRS	1	"3804976".PN.	USPAT
130	BRS	1	"3786269".PN.	USPAT